


| DESIG | B | DRAWN BY | DART AEROSPACE LT HAWKESBURY, ONTARIO, CANAD | _ |
|-------|-------|----------|---|--------------|
| CHECK | (ED _ | APPROVED | DRAWING NO. | REV. A |
| | E | | D3514 | SHEET 1 OF 9 |
| DATE | | | TITLE | SCALE |
| | 07.0 | 06.18 | GPS RECEIVER HOUSING | 1:3 |
| REV | | DATE | DESCRIPTION | |
| Α | | 07.06.18 | NEW ISSUE | |



D3514-041 BOTTOM MOUNTED

GIMBAL ASSEMBLY

1) ASSEMBLE PER DART QSI 003 2) TORQUE SCREWS TO 5-6 in-lbs 3) TIGHTEN TO SNUG FIT ONLY


4) IDENTIFY WITH DART P/N "D3514-041" USING A WHITE MARKER ON THE INSIDE OF THE HOUSING ASSEMBLY WHERE INDICATED

| QTY | P/N | DESCRIPTION |
|-----|-------------|---------------------------------|
| Х | D3514-041 | BOTTOM MOUNTED GIMBAL ASSEMBLY |
| | | |
| 1 | D3514-045 | BOTTOM MOUNTED HOUSING ASSEMBLY |
| 1 | D3522-1 | GASKET |
| 1 | D3523-1 | LEG |
| 1 | D3524-1 | LOWER PLATE |
| 2 | D3533-3 | SET SCREW |
| | | |
| 1 | AN3-10A | BOLT |
| 3 | AN960JD10L | WASHER |
| 4 | MS24693-S29 | SCREW |

COPYRIGHT © 2007 BY DART AEROSPACE LTD



| DESIGN CB | CB | | OSPACE LTD ONTARIO, CANADA |
|-----------|----------|--------------|-------------------------------|
| CHECKED | APPROYED | DRAWING NO. | REV. A |
| LE | | D3514 | SHEET 2 OF 9 |
| 07.06.18 | | TITLE | SCALE |
| | | GPS RECEIVER | HOUSING 1:3 |



NOTE:

INDICATED

1) ASSEMBLE PER DART QSI 003 2) TORQUE SCREWS TO 5-6 in-lbs 3) TORQUE BOLTS TO 15-25 in-lbs 4) IDENTIFY WITH DART P/N "D3514-043" USING A WHITE MARKER ON THE INSIDE OF THE HOUSING ASSEMBLY WHERE

RELEASED


D3514-043 TOP MOUNTED GIMBAL ASSEMBLY

| QTY | P/N | DESCRIPTION |
|-----|-------------|------------------------------|
| Х | D3514-043 | TOP MOUNTED GIMBAL ASSEMBLY |
| | | |
| 1 | D3514-047 | TOP MOUNTED HOUSING ASSEMBLY |
| 1 | D3522-1 | GASKET |
| 1 | D3523-3 | LEG |
| 1 | D3524-1 | LOWER PLATE |
| 1 | D3531-041 | BRACKET ASSEMBLY |
| 2 | D3533-3 | SET SCREW |
| | | |
| 1 | AN3-6A | BOLT |
| 2 | AN960JD10L | WASHER |
| 4 | MS24693-S29 | SCREW |

COPYRIGHT © 2007 BY DART AEROSPACE LTD







D3514-045 BOTTOM MOUNTED HOUSING ASSEMBLY

NOTES:

1) POWDER COAT ASSEMBLY BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3. 2) ASSEMBLE PER DART QSI 003


PARTS LIST

| QTY | P/N | DESCRIPTION |
|-----|--------------|---------------------------------|
| X | D3514-045 | BOTTOM MOUNTED HOUSING ASSEMBLY |
| | | |
| 1 | D3514-1 | BOX TOP (BOTTOM MOUNTED) |
| _ 1 | D3514-5 | BOX BOTTOM (BOTTOM MOUNTED) |
| 1 | D3514-9 | HOOD |
| 1 | D3524-041 | UPPER PLATE ASSEMBLY |
| 1 | D3526-1 | RUBBER SEAL |
| | | |
| 8 | MS20426AD3-3 | RIVET |
| 11 | MS20426AD4-4 | RIVET |
| 4 | MS20426AD4-9 | RIVET |
| 4 | MS21072L06 | ANCHOR NUT |

COPYRIGHT © 2007 BY DART AEROSPACE LTD



| DESIGN CB | DRAWN BY | DART AEROSPACE LTE HAWKESBURY, ONTARIO, CANADA | |
|-----------|----------|---|-------------|
| CHECKED | APPROVED | DRAWING NO. | REV. A |
| LE | | D3514 _{SH} | HEET 4 OF 9 |
| DATE | | TITLE | SCALE |
| 07. | 06.18 | GPS RECEIVER HOUSING | 1:3 |



D3514-047 TOP MOUNTED HOUSING ASSEMBLY

NOTES:


1) POWDER COAT ASSEMBLY BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3. 2) ASSEMBLE PER DART QSI 003

| QTY | P/N | DESCRIPTION | |
|-----|--------------|------------------------------|--|
| X | D3514-047 | TOP MOUNTED HOUSING ASSEMBLY | |
| | | | |
| 1 | D3514-3 | BOX TOP (TOP MOUNTED) | |
| 1 | D3514-7 | BOX BOTTOM (TOP MOUNTED) | |
| 1 | D3514-9 | HOOD | |
| 1 | D3524-041 | UPPER PLATE ASSEMBLY | |
| 1 | D3526-1 | RUBBER SEAL | |
| | | | |
| 8 | MS20426AD3-3 | RIVET | |
| 11 | MS20426AD4-4 | RIVET | |
| 4 | MS20426AD4-9 | RIVET | |
| 4 | MS21072L06 | ANCHOR NUT | |

COPYRIGHT © 2007 BY DART AEROSPACE LTD








D3514-1 BOX TOP (BOTTOM MOUNTED)

NOTES:

- 1) MATERIAL: ALUMINUM 6061-T6/T62 SHEET, 0.040 THICK PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 (REF DART SPEC M6061T6S.040)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS TO 0.010 MAX 6) PART IS SYMMETRIC ABOUT €
- 7) C'SINKS ARE ON THE INSIDE OF PART (AFTER BENDING)









D3514-3 BOX TOP (TOP MOUNTED)

NOTES:

- 1) MATERIAL: ALUMINUM 6061-T6/T62 SHEET, 0.040 THICK PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 (REF DART SPEC M6061T6S.040)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS TO 0.010 MAX
- 6) PART IS SYMMETRIC ABOUT Q
- 7) C'SINKS ARE ON THE INSIDE OF PART (AFTER BENDING)









D3514-5 BOX BOTTOM (BOTTOM MOUNTED)


NOTES: 1) MATERIAL: ALUMINUM 6061-T6/T62 SHEET, 0.040 THICK PER QQ-A-250/11 OR

- AMS 4025 OR AMS 4027 (REF DART SPEC M6061T6S.040)
 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS TO 0.010 MAX
- 6) PART IS SYMMETRIC ABOUT &
- 7) C'SINK ABOVE JOGGLE









D3514-7 BOX BOTTOM (TOP MOUNTED)

NOTES:

1) MATERIAL: ALUMINUM 6061-T6/T62 SHEET, 0.040 THICK PER QQ-A-250/11 OR

AMS 4025 OR AMS 4027 (REF DART SPEC M6061T6S.040)

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED


5) BREAK ALL SHARP CORNERS TO 0.010 MAX


6) PART IS SYMMETRIC ABOUT &











D3514-9 HOOD

NOTES:

- 1) MATERIAL: ALUMINUM 6061-T6/T62 SHEET, 0.040 THICK PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 (REF DART SPEC M6061T6S.040)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS TO 0.010 MAX
- 6) PART IS SYMMETRIC ABOUT &